

**Perte de pression au travers de vanne anti-retour – perte de pression (PSI)**

| Débit<br>G.P.M | Dimension Vanne |     |     |       |       |     | Débit<br>G.P.M. | Dimension Vanne |       |     |       |     |     |
|----------------|-----------------|-----|-----|-------|-------|-----|-----------------|-----------------|-------|-----|-------|-----|-----|
|                | 1/2             | 3/4 | 1   | 1 1/4 | 1 1/2 | 2   |                 | 1 1/4           | 1 1/2 | 2   | 2 1/2 | 3   | 4   |
| 2              | 0.2             |     |     |       |       |     | 46              | 2.1             | 1.1   | 0.4 |       |     |     |
| 3              | 0.5             |     |     |       |       |     | 48              | 2.2             | 1.2   | 0.5 |       |     |     |
| 6              | 1.0             | 0.3 |     |       |       |     | 50              | 2.4             | 1.3   | 0.5 |       |     |     |
| 8              | 1.7             | 0.5 |     |       |       |     | 55              | 2.9             | 1.5   | 0.6 |       |     |     |
| 10             | 2.6             | 0.8 | 0.3 |       |       |     | 60              | 3.4             | 1.8   | 0.7 |       |     |     |
| 12             | 3.6             | 1.1 | 0.5 |       |       |     | 65              | 3.9             | 2.0   | 0.8 |       |     |     |
| 14             | 4.8             | 1.5 | 0.6 |       |       |     | 70              | 4.5             | 2.4   | 0.9 | 0.4   |     |     |
| 16             |                 | 2.0 | 0.9 |       |       |     | 75              |                 | 2.7   | 1.0 | 0.5   |     |     |
| 18             |                 | 2.4 | 1.0 |       |       |     | 80              |                 | 3.0   | 1.2 | 0.6   |     |     |
| 20             |                 | 3.0 | 1.2 | 0.4   |       |     | 90              |                 | 3.7   | 1.5 | 0.7   |     |     |
| 22             |                 | 3.5 | 1.4 | 0.5   |       |     | 100             |                 | 4.6   | 1.8 | 0.9   | 0.4 |     |
| 24             |                 | 4.1 | 1.7 | 0.6   |       |     | 120             |                 |       | 2.5 | 1.2   | 0.5 |     |
| 26             |                 | 4.8 | 2.0 | 0.7   | 0.4   |     | 140             |                 |       | 3.3 | 1.6   | 0.7 |     |
| 28             |                 |     | 2.2 | 0.8   | 0.5   |     | 160             |                 |       | 4.3 | 2.1   | 0.9 | 0.3 |
| 30             |                 |     | 2.5 | 0.9   | 0.5   |     | 180             |                 |       | 5.3 | 2.6   | 1.1 | 0.4 |
| 32             |                 |     | 2.9 | 1.1   | 0.6   |     | 200             |                 |       | 6.5 | 3.1   | 1.4 | 0.5 |
| 34             |                 |     | 3.2 | 1.2   | 0.6   |     | 250             |                 |       |     | 4.7   | 2.1 | 0.7 |
| 36             |                 |     | 3.6 | 1.3   | 0.7   |     | 300             |                 |       |     | 6.6   | 2.9 | 1.0 |
| 38             |                 |     | 3.9 | 1.5   | 0.8   |     | 350             |                 |       |     |       | 3.8 | 1.3 |
| 40             |                 |     | 4.3 | 1.6   | 0.8   | 0.3 | 400             |                 |       |     |       | 4.9 | 1.7 |
| 42             |                 |     | 4.7 | 1.7   | 0.9   | 0.3 | 450             |                 |       |     |       |     | 2.1 |
| 44             |                 |     |     | 1.9   | 1.0   | 0.4 | 500             |                 |       |     |       |     | 2.6 |